

NRO Initial Equipment Order Guide



Item	Qty	Description	Sell	Sell Total
1	1 ea	<p>REACH-IN REFRIGERATOR</p> <p>Hoshizaki Model No. R2A-FS Steelheart Series Refrigerator, reach-in, two-section, 50.37 cu. ft., top mounted self-contained refrigeration, (6) epoxy coated wire shelves, (2) full height solid hinged doors, digital temperature display/controls, LED interior lighting, stainless steel exterior front & sides, stainless steel interior, (4) 4" heavy duty casters (2 with brakes), R290 Hydrocarbon refrigerant, 1/2 HP, NEMA 5-15P, cETLus, ETL-Sanitation</p> <p>Warranty: 3-Year parts & labor on entire machine</p> <p>Warranty: 5-Year parts on compressor</p> <p>115v/60/1-ph, 8 amps, standard</p> <p>Casters, 4" (set of 4), standard</p>		
ITEM TOTAL:				
2	16 ea	<p>WIRE SHELVING</p> <p>Olympic Model No. J2148K Packed 4 ea Shelf, wire, 21" x 48", green epoxy finish with chromate substrate, NSF</p> <p>16 ea 1 year warranty against manufacturing defects</p> <p>16 ea 7 year warranty against rust and corrosion</p> <p>16 ea J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF</p>		
ITEM TOTAL:				
3	1 ea	<p>ICE MAKER, CUBE-STYLE</p>		

Item	Qty	Description	Sell	Sell Total
		Icetro America Model No. IM-1100-AH Maestro Modular Ice Maker, cube-style, 30"W, air-cooled, self-contained condenser, production capacity up to 1106 lbs/24 hr at 70°/50° (873 lbs at 90°/70°), diagnostic control panel, auto cleaning cycle, ABS antimicrobial interior, 304 stainless steel exterior, half-size cubes, 208-230v/60/1-ph, CE, cETLus, ETL-Sanitation		
	1 ea	Commercial warranty is 3 years parts & labor warranty, additional 2 year compressor warranty (parts only) standard		
	1 ea	Evaporator - 5 years parts & labor warranty, standard		
	1 ea	ICEPRO 1300 IcePro Series Water Filtration System, for ice machines with ice production up to 1300 lbs per day, Citryne based filtration, scale elimination, 1/2" FNPT, 5 micron, 125 psi, 5.5 gpm		
	1 ea	ICEPRO 2 year parts warranty, standard		
			ITEM TOTAL:	
3.1	1 ea	ICE BIN FOR ICE MACHINES Hoshizaki Model No. B-1300SS Ice Bin, 48"W, hinged bottom door & top view windows, 1304-lb ice storage capacity, for top-mounted ice maker, stainless steel construction, universal top included, stainless steel legs, protected with H-GUARD Plus Antimicrobial Agent, ETL, ETL-Sanitation		
	1 ea	Warranty: 5-Year parts & labor for bin		
	1 ea	Universal top kit included		
			ITEM TOTAL:	
4	1 ea	MOP SINK John Boos Model No. PBMS2016-12-X Mop Sink, floor mounted, 24-5/8"W x 19-3/8"D x 16"H overall size, 20"W x 16" front-to-back x 12" deep compartment, 3-1/2" diameter drain, marine edge on front & sides, tile edge on rear, 16/300 stainless steel construction, NSF (Available in Effingham and Nevada)		
				
			ITEM TOTAL:	
4.1	1 ea	SHELVING, WALL MOUNTED John Boos Model No. PB-MSS824-X Utility Shelf, wall-mounted, 24"W x 8"D, Stallion Safety Edge front, 1-1/2" riser on sides & rear, includes hooks & (2) mop/broom holder with locking cam, 16/300 stainless steel, KD (Available in Effingham)		
				
			ITEM TOTAL:	
4.2	1 ea	SERVICE FAUCET		

Item	Qty	Description	Sell	Sell Total
		John Boos Model No. PBF-SS-6-X Service Sink Faucet, 8" centers, vacuum breaker nozzle with 3-4" garden hose thread, pail hook, top support arm, 1/2" NPT female flanged, with adjustable inlet with screwdriver stop (Available in Effingham and Nevada)		
				ITEM TOTAL:
4.3	1 ea	SHELVING, WALL MOUNTED John Boos Model No. BHS1236-X Shelf, wall-mounted, 36"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
				
				ITEM TOTAL:
5	1 ea	FLOOR TROUGH John Boos Model No. FTSG-1236-X Floor Trough, 36"W x 12"D, subway-style stainless steel grating, 4" deep all-welded drain pan with built-in pitch, accommodates up to a 4" diameter pipe, includes stainless steel removable perforated strainer, 14/300 stainless steel (Available in Effingham and Nevada)		
				
				ITEM TOTAL: <Optional>
6	6 ea	HAND SINK John Boos Model No. PBHS-W-0909-P-SSLR-X Pro-Bowl Hand Sink, wall mount, 12"W x 14-1/2"D x 12-1/4"H overall size, 9"W x 9" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 2" drain opening with basket drain, with left & right side splash, all stainless steel construction, includes mounting bracket, NSF, CSA-Sanitation (splash mount faucet included) (Available in Effingham)		
				
				ITEM TOTAL:
7	1 ea	WORK TABLE, 60", STAINLESS STEEL TOP John Boos Model No. ST6R5-3060SSK-X Work Table, 60"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)		
				
				ITEM TOTAL:
7.1	1 ea	SHELVING, WALL MOUNTED John Boos Model No. BHS1660-X Shelf, wall-mounted, 60"W x 16"D x 13"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
				

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
8	1 ea	PLANETARY MIXER Vollrath Model No. 40758 Planetary Mixer, floor model, 30 quart, 25"W x 24-1/2"D x 47-7/8"H, 3-speed belt driven transmission, #12 attachment hub, digital timer with automatic stop & audible shutoff signal, thermal overload protection, includes: dough hook, wire whisk, flat beater, stainless mixing bowl, safety bowl guard, 1 HP, 110-120v/60/1-ph, 16 amps, cord with NEMA 5-20P, NSF, cETLus, imported (MIX1030) (Refer to vollrathfoodservice.com for full warranty policy)		
	1 ea	Warranty period is 2 years on parts, 1 year on labor & 5 years on belt		
	1 ea	40785 Vegetable Slicer Head Complete, comes with 5/16" (8mm) shredder & 3/16" (5mm) slicing plates (fits all Vollrath floor mixers), do not use attachments on hub while mixing, imported (Refer to vollrathfoodservice.com for full warranty policy)		
ITEM TOTAL:				
9	1 ea	WORK TABLE, WITH PREP SINK(S) John Boos Model No. EPT6R5-3072SSK-R-X Work Table With Prep Sink, 72"W x 30"D x 40-3/4"H overall size, (1) 16"W x 20" front-to-back x 12" deep sink bowl on right, 5"H backsplash, includes 10" swing spout faucet 4" O.C., 16/300 stainless steel top, stainless steel legs & adjustable undershelf, 1" stainless steel adjustable bullet feet, NSF, CSA-Sanitation, KD (available in Effingham and Nevada)		
	1 ea	PB-LWR-1-X Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) (Available in Effingham and Nevada)		
	1 ea	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste.		
ITEM TOTAL:				
10	2 ea	SHELVING, WALL MOUNTED John Boos Model No. BHS1672-X Shelf, wall-mounted, 72"W x 16"D x 13"H overall size, 1-1/2"H rear up-turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
ITEM TOTAL:				
11	1 ea	WORK TABLE, 72", STAINLESS STEEL TOP John Boos Model No. ST6R5-3072SSK-X Work Table, 72"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)		

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
12	1 ea	FOOD SLICER, ELECTRIC Globe Model No. C12 Chefmate™ Food Slicer, manual, 12" diameter knife, 0" to 9/16" slice thickness, removable gravity feed food chute, top mounted sharpener, slice deflector and knife cover, belt-driven, ball bearing chute slide system, rubber feet, anodized aluminum, 1/3 HP, 115v/60/1, 3 amps, NEMA 5-15P, cETLus, ETL-Sanitation		
	1 ea	1 year parts & labor warranty, standard		
ITEM TOTAL:				
13	1 ea	WALK IN COMBINATION COOLER FREEZER, REMOTE Thermalrite Model No. CUSTOM Indoor Cooler/Freezer Combo - (17' 6" x 8' 1") - indoor UL Listed Class 1 Panel with NSF listed construction 8' 0" x 8' 1" x 8' 7" foam rail walk-in Holding freezer with floor 9' 6" x 8' 1" x 8' 7" foam rail walk-in Holding cooler without floor RFO300L4SDANT with -10°F R448/R449 208-230/1/60 - FOB factory RL6E077DDARE coil -10°F R448/R449 208-230/1/60 - FOB factory RFO300L4SDANT Warranty (Compressor-motor warranty extended to 5-years, part only, no labor) - FOB factory 1 Year Refrigeration Service Agreement - FOB factory RFO080M4SDAALNT with 35°F R448/R449 208-230/1/60 - FOB factory RL6A052ADARE coil 35°F R448/R449 115/1/60 - FOB factory Add for RFO080M4SDAALNT Warranty (Compressor-motor warranty extended to 5-years, part only, no labor) - FOB factory		
ITEM TOTAL:				
13.1	4 ea	WIRE SHELVING Olympic Model No. J2136K Packed 4 ea Shelf, wire, 21" x 36", green epoxy finish with chromate substrate, NSF		
	4 ea	1 year warranty against manufacturing defects		
	4 ea	7 year warranty against rust and corrosion		
	4 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
13.2	4 ea	WIRE SHELVING Olympic Model No. J2148K Packed 4 ea Shelf, wire, 21" x 48", green epoxy finish with chromate substrate, NSF		

Item	Qty	Description	Sell	Sell Total
	4 ea	1 year warranty against manufacturing defects		
	4 ea	7 year warranty against rust and corrosion		
	4 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
13.3	4 ea	WIRE SHELVING Olympic Model No. J2436K Packed 4 ea Shelf, wire, 24" x 36", green epoxy finish with chromate substrate, NSF		
				
	4 ea	1 year warranty against manufacturing defects		
	4 ea	7 year warranty against rust and corrosion		
	4 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
13.4	4 ea	WIRE SHELVING Olympic Model No. J2448K Packed 4 ea Shelf, wire, 24" x 48", green epoxy finish with chromate substrate, NSF		
				
	4 ea	1 year warranty against manufacturing defects		
	4 ea	7 year warranty against rust and corrosion		
	4 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
13.5	8 ea	WIRE SHELVING Olympic Model No. J2460K Packed 2 ea Shelf, wire, 24" x 60", green epoxy finish with chromate substrate, NSF		
				
	8 ea	1 year warranty against manufacturing defects		
	8 ea	7 year warranty against rust and corrosion		
	8 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
13.6	2 ea	BUN / SHEET PAN RACK		

Item	Qty	Description	Sell	Sell Total
		John Boos Model No. ABPR-1820-3KD-X Bun Pan Rack, mobile, (20) pan capacity, 3" spacing, front loading, 26"W x 20-1/2"D x 69"H, 1" square tube frame with bolted cross bracing, 5" swivel casters, 6063 aluminum construction, KD, NSF (Available in Effingham and Nevada)		
ITEM TOTAL:				
13.7	2 ea	ECONOMY TUBULAR DUNNAGE RACK Winholt Equipment Model No. DASQ-3-1224 Dunnage Rack, 24" x 36" x 12", all welded 1-1/2" x 1-1/2" aluminum tubular frame, 2100 lb capacity, NSF		
				
ITEM TOTAL:				
13.8	1 ea	ECONOMY TUBULAR DUNNAGE RACK Winholt Equipment Model No. DASQ-4-1224 Dunnage Rack, 24" x 48" x 12", all welded 1-1/2" x 1-1/2" aluminum tubular frame, 1800 lb capacity, NSF		
				
ITEM TOTAL:				
14	1 ea	CONVECTION OVEN, GAS Southbend Model No. BGS/22SC Bronze Convection Oven, gas, double-deck, standard depth, (5) plated racks, 11-position rack glides, porcelain interior, (2) stainless steel dependent doors with windows, solid state controls, electronic ignition, 60-minute cook timer, 2-speed fan, oven interior light, stainless steel front, top, sides & door, porcelain interior, 6" painted steel triangular legs, (2) 7.9 amps, (2) 120v/60/1-ph, NEMA 5-15P, (2) 1/2 HP, 108,000 BTU, CSA, NSF		
				
	1 ea	Domestic Shipping, inside of North America		
	1 ea	1 year parts & labor including doors warranty, std		
	1 ea	Natural Gas		
ITEM TOTAL:				
14.1	1 se	CASTERS Component Hardware Model No. CSTPK-5PTS Packed 1 se Caster Set 3/4Stem 5In Dia Whl Fits Garland/Southbend Ranges 4 Caster Set With Brakes		
				
ITEM TOTAL:				
14.2	1 kt	BLUE HOSE GAS CONNECTOR KIT		

Item	Qty	Description	Sell	Sell Total
		Dormont Manufacturing Model No. 1675KIT48 Packed 1 kt Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
ITEM TOTAL:				
15	3 ea	GRIDDLE, GAS, COUNTERTOP Star Model No. 648TF Star-Max® Heavy Duty Griddle, gas, countertop, 48" W x 21" D cooking surface, 1" thick polished steel griddle plate, embedded modulating thermostat every 12", heavy duty knobs, wrap-around stainless steel splash guard, grease trough & stainless steel drawer, welded steel frame with stainless steel front, 4" legs, 113,200 BTU, cULus, UL EPH Classified, Made in USA, (ships Natural gas includes LP conversion kit)		
	3 ea	2 year parts & labor warranty, standard		
ITEM TOTAL:				
15.1	2 ea	EQUIPMENT STAND, REFRIGERATED BASE Hoshizaki Model No. CR49A Steelheart Series Refrigerated Equipment Stand, one-section, 49"W x 33-1/4"D x 27"H, (2) drawer: each will accommodate (2) 12" x 20" x 6" deep pans & (1) 1/2 size long 6" deep pan (pans not included), solid state digital controller with temperature alarms, LED display, stainless steel exterior front, sides, & top, stainless steel interior, side-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/5 HP, 115/60/1-ph, 2.7 amps, cord, NEMA 5-15P, (4) 4" casters, cETLus, ETL-Sanitation		
	2 ea	Warranty: 3-Year parts & labor on entire machine		
	2 ea	Warranty: 5-Year parts on compressor		
ITEM TOTAL:				
15.2	1 ea	EQUIPMENT STAND, FOR COUNTERTOP COOKING John Boos Model No. GS6-3048SSK-X Equipment Stand, 48"W x 30"D x 24"H, 16/300 stainless steel top with 1-1/2"H up-turn on back & both sides, stainless steel legs & adjustable undershelf, bullet feet, KD, NSF, CSA-Sanitation (Available in Effingham and Nevada)		
	1 st	CAS01-R-X Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 4) (Available in Effingham and Nevada)		
15.3	3 kt	BLUE HOSE GAS CONNECTOR KIT		

Item	Qty	Description	Sell	Sell Total
		Dormont Manufacturing Model No. 1675KIT48 Packed 1 kt Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
ITEM TOTAL:				
16	1 ea	WORK TABLE, 30", STAINLESS STEEL TOP John Boos Model No. ST6R1.5-3030SSK Work Table, 30"W x 30"D, 16/300 stainless steel top with 1-1/2"H rear up-turn, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD		
	1 ea	X-0115Y Modified as noted, PER SKETCH (for special notations)		
	1 ea	X-0208A Cutout per sketch (used for special cutouts for drop-in) (modification)		
	1 st	CAS01-R Casters, 5", heavy duty, locking, for 1-5/8" diameter legs (set of 4)		
ITEM TOTAL:				
16.1	1 ea	DROP-IN ICE BIN John Boos Model No. PB-DIIB2818-X Ice Bin, drop-in, 28"W x 18"D x 12"H overall size, 24"W x 13" front-to-back x 10" deep insulated ice bin, removable sliding lid, drain, 18/300 stainless steel construction, 27"W x 17-1/8"D cutout recommended, NSF (Available in Effingham and Nevada)		
				
ITEM TOTAL:				
17	2 ea	GAS FLOOR FRYER Vulcan Model No. LG300 Fryer, gas, 15-1/2" W, free-standing, 35-40 lb capacity, millivolt thermostat controls, twin baskets, legs, stainless steel front top, door & fry tank, 90,000 BTU, CSA Star, CSA Flame, NSF		
				
		***Natural Gas		
ITEM TOTAL:				
17.1	2 se	CASTERS - FRYERS Krowne Model No. 28-111S Packed 1 se Krowne Plate Caster, swivel with brake, 5" diameter, 3-1/2" x 3-1/2", 220 lbs per caster load capacity, grease resistant, raises height of equipment 6" (set of 4) Fits Vulcn 36S-6B/Pitco Eco Fryers/Vulcan LG Fryers		
				
ITEM TOTAL:				
17.2	2 kt	BLUE HOSE GAS CONNECTOR KIT		

Item	Qty	Description	Sell	Sell Total
		Dormont Manufacturing Model No. 1675KIT48 Packed 1 kt Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
ITEM TOTAL:				
18	2 ea	RANGE, 36" RESTAURANT, GAS Southbend Model No. S36D Range 36In (6)Burner Nat Gas 28,000 Btu Open Burners Stndr Oven S/S Finish W/Hi-Shl		
				
ITEM TOTAL:				
18.1	2 se	CASTERS Component Hardware Model No. CSTPK-5PTS Packed 1 se Caster Set 3/4Stem 5In Dia Whl Fits Garland/Southbend Ranges 4 Caster Set With Brakes		
				
ITEM TOTAL:				
18.2	2 kt	BLUE HOSE GAS CONNECTOR KIT Dormont Manufacturing Model No. 1675KIT48 Packed 1 kt Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
				
ITEM TOTAL:				
19	1 ea	HEATED HOLDING PROOFING CABINET, MOBILE Metro Model No. C519-CFC-U (QUICK SHIP MODEL) C5â„¢ 1 Series Heated Holding & Proofing Cabinet, mobile, full height, non-insulated, clear polycarbonate door, removable bottom mount control module, thermostat to 190Â°F, universal wire slides on 3" centers, adjustable on 1-1/2" increments (18) 18" x 26" or (34) 12" x 20" x 2-1/2" pan capacity, 5" casters (2 with brakes), aluminum, 120v/60/1-ph, 2.0kW, 16 amps, NEMA 5-20P, cULus, NSF		
				
ITEM TOTAL:				
20	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR		

Item	Qty	Description	Sell	Sell Total
		Hoshizaki Model No. SR72B-30M Steelheart Series Mega Top Refrigerator, reach-in, three-section, 72"W, 21.25 cu. ft., self-contained rear mounted refrigeration system, (3) solid hinged doors, (3) adjustable shelves, provided with (30) 1/6 pans 4" deep, 6" maximum pan depth (top rail), 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel interior, stainless steel exterior front, sides & hinged top cover, (4) 6" casters (2 with brakes), R290 Hydrocarbon refrigerant, 1/3 HP, NEMA 5-15P, cETLus, ETL-Sanitation		
ITEM TOTAL:				
21	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR True Mfg. - General Foodservice Model No. TSSU-72-18M-B-HC Mega Top Sandwich/Salad Unit, (18) 1/6 size (4"D) poly pans, stainless steel insulated cover, 8-7/8"D cutting board, (3) full doors, (6) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA		
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Castors, 5" (36" work surface height) standard		
ITEM TOTAL:				
22	2 ea	HOT FOOD SERVING COUNTER / TABLE Vollrath Model No. 38117 ServeWell® Hot Food Table, (3) wells, 46"W x 32"D x 34"H, Thermostat fiber-reinforced resin wells with brass drain valves, individual capillary tube thermostatic controls for each well, cast-in dome heating elements, low-water indicator light, mechanical guards on all controls, open base with stainless steel undershelf, includes 7-1/2" wide plate shelf & 8" wide x 3/8" thick poly cutting board, stainless steel construction, adjustable legs, 10' cord with NEMA 6-15P, 1800-2400 watts, 10.0 amps, 208-240v/60/1-ph, KD, cULus, NSF, Made in USA, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)		
ITEM TOTAL:				
23	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR		

Item	Qty	Description	Sell	Sell Total
		True Mfg. - General Foodservice Model No. TSSU-60-24M-B-ST-HC Mega Top Sandwich/Salad Unit, (24) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 6.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA		
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Castors, 5" (36" work surface height) standard		
				ITEM TOTAL:
24	1 ea	REACH-IN REFRIGERATOR		
		True Mfg. - General Foodservice Model No. T-19-HC Refrigerator, reach-in, one-section, (1) solid door, (3) adjustable PVC coated shelves, interior lighting, stainless steel door, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 2-1/2" castors, R290 Hydrocarbon refrigerant, 1/10 HP, 115v/60/1-ph, 1.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA		
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Door hinged right standard		
	1 ea	2.5" castor kit (set of 4), standard		
				ITEM TOTAL:
25	4 ea	WORK TABLE, 72", STAINLESS STEEL TOP		
		John Boos Model No. ST6R1.5-2472SSK-X Work Table, 72"W x 24"D, 16/300 stainless steel top with 1-1/2"H rear up-turn, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)		
				ITEM TOTAL:
26	2 ea	PASS-THRU SHELF		
		John Boos Model No. PTS26K-24144 Pass-Thru Shelf, 144"W x 24"D, double, 7-1/2" maximum wall thickness, Stallion Safety Edge front and back, includes wall mount brackets, 16/300 stainless steel construction		
	2 ea	X-0115Y Modified as noted, PER SKETCH (for special notations)		
	3 pr	OSHLB-6 Heat Lamp Bracket, 6" wide, comes as a pair, fits with Hatco		

Item	Qty	Description	Sell	Sell Total
		warming lamps & JBC overshelves		
	1 ea	X-0216A Field Joint Provision, welded (welded in field by K.E.C) (modification)		
	1 ea	X-0001CC Wire Chase, run from table top to top of overshelf, 18"W x 4"D, max length 40", removable access panel, factory installed only		
				ITEM TOTAL:
26.1	4 ea	HEAT LAMP Hatco Model No. GRAHL-48 Glo-Ray® Infrared Strip Heater, 48" W, high wattage, tubular metal heater rod with lights, single heater rod housing, aluminum construction, 1340 watts, NSF, CE, cULus, Made in USA		
				
	4 ea	One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements		
	4 ea	120v/60/1-ph		
	4 ea	REM INF Remote infinite control, additional switch is required with tandem element, shipped loose (max. 12.2 amp) INCLUDES THE STANDARD TOGGLE FOR LAMP CONTROL (available at time of purchase only)		
	4 ea	IND.LGT-1-REM (1) Indicator Light (Remote only) (available at time of purchase only) per circuit		
	4 ea	STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)		
				ITEM TOTAL:
26.2	2 ea	PRINTER SHELF John Boos Model No. PRTSHF-B Printer Shelf, 8"W x 16"D deck, mounts under overshelf, includes (2) empty electrical boxes		
				
				ITEM TOTAL:
27	1 ea	WARMING DRAWER, FREE STANDING Alto-Shaam Model No. 500-2D Halo Heat® Warming Drawer, free standing, two drawer, digital controller, (1) 12" x 20" pan, (50) rolls or (34) baked potatoes capacity per drawer, drawer can adapt to hold optional oversize pan, adjustable thermostat, stainless steel exterior, EcoSmart®, cULus, UL EPH Classified, CE, EAC		
				
	1 ea	120v/50/60/1-ph, 5.3 amps, .64 kW, NEMA 5-15P, standard		
	2 ea	Non-vented drawers, standard		
				ITEM TOTAL:
28	2 ea	FOOD PAN WARMER, COUNTERTOP		

Item	Qty	Description	Sell	Sell Total
	1 ea	Nemco Food Equipment Model No. 6055A Warmer Full Size Countertop 14-5/8 W X 23-7/8 D X 9 H 120V 1200W		
ITEM TOTAL:				
29	4 ea	WIRE SHELVING Olympic Model No. J2454K Packed 2 ea Shelf, wire, 24" x 54", green epoxy finish with chromate substrate, NSF		
	4 ea	1 year warranty against manufacturing defects		
	4 ea	7 year warranty against rust and corrosion		
	4 ea	J74K Post 74", stationary, grooved at 1" intervals, includes leveling bolt & cap, green epoxy finish with chromate substrate, NSF		
ITEM TOTAL:				
30	2 ea	REFRIGERATED WORK TOP True Mfg. - General Foodservice Model No. TWT-60-HC Work Top Refrigerator, two-section, rear mounted self-contained refrigeration, stainless steel top with rear splash, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel front & sides, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA		
	2 ea	Self-contained refrigeration standard		
	2 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	2 ea	Castors, 5" (36" work surface height) standard		
ITEM TOTAL:				
30.1	2 ea	SHELVING, WALL MOUNTED John Boos Model No. BHS1260-X Shelf, wall-mounted, 60"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
				
ITEM TOTAL:				
30.2	2 ea	SHELVING, WALL MOUNTED		

Item	Qty	Description	Sell	Sell Total
		John Boos Model No. BHS1660-X Shelf, wall-mounted, 60"W x 16"D x 13"H overall size, 1-1/2" rear up- turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
ITEM TOTAL:				
31	1 ea	WORK TABLE, 108", STAINLESS STEEL TOP John Boos Model No. ST6R5-30108SSK-X Work Table, 108"W x 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)		
				
ITEM TOTAL:				
33	1 ea	DISHTABLE, SOILED "L" SHAPED John Boos Model No. SDT4-L7096SBK-R Pro-Bowl Soiled Dishtable, landing design, 70" machine to corner, 96" corner to end, 44"H overall size, L-shaped with 10" landing shelf, right- to-left operation, (1) 20"W x 20" front-to-back x 8" deep pre-rinse sink bowl, 10"H boxed backsplash with 45° top & 2" return, (1) set of splash mount faucet holes with 8" centers, 2-1/4"H rolled edge, 14/300 stainless steel top, stainless steel legs, bracing, & adjustable bullet feet, NSF		
				
	1 ea	Dish machine: Ecolab ES-2000		
	1 ea	PB-PRW-1LF Prerinse Unit, splash mount, flex stainless steel hose, 8" centers, 1/4 turn cramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, includes 12" wall bracket, NSF, cCSAus, ADA Compliant (LEAD FREE FAUCET)		
	1 ea	PB-LWR-1 Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet)		
	1 ea	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-1OV straight handle lever waste.		
	1 ea	Note: Provisions made at factory for installation.		
	1 ea	X-0115Y Modified as noted, PER SKETCH (for special notations)		
	1 ea	X-0411A Additional length of drainboard, (per 6" intervals each board) (modification)		
	1 pr	X-0440A Vac breaker holes in backsplash, per pair (modification)		
	1 ea	CSPA - FACTORY INSTALLED Customer Supplied Accessories to be Factory Installed		
	1 ea	X-0440DA Stainless steel disposal switch plate, (11" x 17") (modification)		
	1 ea	DTSS-3096-T Sorting Shelf, tubular design, double sided, 96"W x 30- 1/2"D x 32"H, 1-5/8" diameter uprights, for use with soiled dish table,		

Item	Qty	Description	Sell	Sell Total
		both ends table mount or one end wall mounted and one end table mounted, stainless steel construction		
	1 ea	PB-DTA-20-01-X Dish Table Pre-Rinse Basket, with welded slide bar, stainless steel construction, fits 20" x 20" pre-rinse sink (Available in Effingham)		
	1 ea	DTDS4-3615 Dump Sink, 36"W x 15" front-to-back x 8" deep bowl, attaches to dish table with landing, legs to support underside of bowl, includes (2) scrap baskets		
		Customer must verify make and model of disposer to ensure proper provisions		
				ITEM TOTAL:
34	1 ea	CLEAN DISHTABLE		
		John Boos Model No. CDT6-S72SBK-L Pro-Bowl Clean Dishtable, straight design, 72"W x 30"D x 44"H overall size, right-to-left operation, 10"H boxed backsplash with 45° & 2" return, 2-1/4"H rolled edge, 16/300 stainless steel top, stainless steel legs, bracing, & adjustable bullet feet, NSF		
	1 ea	Dish machine: Ecolab ES-2000		
				ITEM TOTAL:
35	1 ea	THREE (3) COMPARTMENT SINK		
		John Boos Model No. 3B18244-2D18-X "B" Series Sink, 3-compartment, 93-1/4"W x 29-1/2"D x 44"H overall size, (3) 18"W x 24" front-to-back x 14" deep compartments, (2) 18" left & right drainboards, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" die-stamped drain openings, 16/300 stainless steel construction, stainless steel legs, adjustable side bracing, adjustable bullet feet, NSF, CSA-Sanitation (Available in Effingham and Nevada)		
	3 ea	PB-LWR-1-X Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) (Available in Effingham and Nevada)		
	3 ea	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 or PB-LWS-10V straight handle lever waste.		
				ITEM TOTAL:
35.1	1 ea	PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET		
		Krowne Model No. 17-109WL Krowne Royal Series, pre-rinse Assembly, with add-on faucet, wall mount, 8" centers, spring action flexible gooseneck, 38"H stainless steel hose with 15" overhang & 1.2 GPM spray head, built in check valves, 2.0 GPM add-on faucet with 12" swing spout, quarter-turn ceramic cartridge valves, includes wall bracket & mounting kit, chrome plated brass base, low lead compliant, includes internal check valves to prevent backflow and cross contamination, NSF (interchangeable with most brands) (ships pre-assembled)		

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
35.2	2 ea	SHELVING, WALL MOUNTED John Boos Model No. BHS1236-X Shelf, wall-mounted, 36"W x 12"D x 9-1/2"H overall size, 1-1/2" rear up-turn, Stallion Safety Edge front, 18/300 stainless steel, NSF, KD (Available in Effingham and Nevada)		
				
ITEM TOTAL:				
B1	1 ea	BACK BAR CABINET, REFRIGERATED Hoshizaki Model No. BB80-G Back Bar Cabinet Refrigerated Reach In Three Section 84 W Glass Doors(Locking)		
				
ITEM TOTAL:				
B2	1 ea	FROZEN DRINK MACHINE, NON-CARBONATED, CYLINDER TYPE Frosty Factory of America Model No. 127A Frozen Beverage Machine, counter model, air-cooled self-contained, single flavor, 16 qt. hopper, 7 qt. freezing cylinder, up to (160) ten oz. drinks/hour total, lighted flavor sign, stand-by-switch refrigerates mix overnight, stainless steel finish, 4" legs, R404A, 3/4 HP compressor, UL, NSF **115v/60/1-ph, 12 amps, standard**	\$3,778.00	
				
ITEM TOTAL:				
B3	1 ea	HAND SINK Glastender, Inc. Model No. C-HSA-12-D CHOICE Underbar Hand Sink Unit, free standing, 12"W O.A., 9-1/4" wide x 11-1/2" front-to-back x 6" deep bowl, deck mounted gooseneck faucet (low lead compliant), soap dispenser, towel dispenser mounted on front skirt, one-piece seamless top & backsplash with radius corners, all welded stainless steel construction, adjustable stainless steel bullet feet, ETL-Sanitation, NSF/ANSI 61, Annex G 1 ea Aerator, faucet, 2.0 GPM, standard 1 ea Faucet, deck mounted, 4"OC, 3/8" hot & cold water connections required, standard		
				
ITEM TOTAL:				
B4	1 ea	DRAINBOARD Glastender, Inc. Model No. C-DBCB-24-LD CHOICE Underbar Drainboard, open front cabinet base, 24"W x 24"D, one-piece seamless top & backsplash with radius corners, corrugated work surface, stainless steel construction, adjustable thermoplastic bullet feet, ETL-Sanitation		
				

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
B5	2 ea	ICE BIN WITH BOTTLE WELLS Glastender, Inc. Model No. C-CBA-36R-CP10-ED CHOICE Extra Deep Underbar Combo Ice Bin/Cocktail Unit, with bottle well storage, 36"W x 19"D, built-in 10-circuit cold plate, 92-lbs. ice capacity, 6-bottle insulated storage compartment on right, 14-1/2" deep bin liner, backsplash with open channel for beverage lines, PVC plastic breaker strip around ice bin liner, stainless steel construction, adjustable thermoplastic bullet feet, ETL-Sanitation (NOTE: Made to order, not returnable)		
	2 ea	IBC-A-24 Underbar Ice Bin Sliding Cover, 24"W, two-piece, stainless steel (for use with 19"D ice bins)		
	4 ea	BR3-2 Bottle Rack, 3-bottle, fits 19"D ice bins, vinyl-coated wire, (2) racks, for use with non potable ice in bottle storage ice bin (not for use with model C-IBA-6)		
	2 ea	C-SR-36 CHOICE Single Speed Rail, 36"W x 5"D, stainless steel construction, ETL-Sanitation		
ITEM TOTAL:				
B5.2	2 ea	SODA GUN HOLDER & TUBING CHASE Glastender, Inc. Model No. C-SHA-4 CHOICE Underbar Soda Gun Holder, 4"W x 19"D x 18"H, built-in holder for soda gun, includes integral drip pan, removable cover for access to soda gun manifold (soda gun not included), must mount to at least one other piece of underbar equipment (no provision for leg mounting), stainless steel construction, ETL-Sanitation		
ITEM TOTAL:				
B6	1 ea	BOTTLE STORAGE UNIT Glastender, Inc. Model No. C-LD-12 CHOICE Underbar Liquor Steps,, freestanding, 12"W x 24"D, (5) steps, integrated bottle retaining rails, stainless steel construction, adjustable thermoplastic bullet feet, ETL-Sanitation		
ITEM TOTAL:				
B7	1 ea	BLENDER STATION Glastender, Inc. Model No. C-BSA-14 CHOICE Underbar Blender Station, freestanding with sink, 14"W x 24"D, backsplash, 6" deep sink bowl, deck mount faucet, 9"D blender shelf, power cord hole with grommet on front skirt, junction box for duplex outlet mounted underneath blender shelf (outlet not included), one-piece seamless top & backsplash, stainless steel construction, adjustable thermoplastic bullet feet, ETL-Sanitation		
	1 ea	Aerator, faucet, 2.0 GPM, standard		
	1 ea	Faucet, backsplash mounted, 4"OC, 3/8" hot & cold water connections required, standard		

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
B8	1 ea	CORNER ANGLE FILLER Glastender, Inc. Model No. C-IFC-24/24 CHOICE Underbar Corner Drainboard, 24" x 24", corrugated work surface with radius corners, stainless steel construction, no legs, ETL-Sanitation (mounts between two adjacent underbar pieces)		
				
	2 st	C-ULEG-2 CHOICE Legs, 16", set of (2) with bolts		
ITEM TOTAL:				
B9	1 ea	DRAINBOARD Glastender, Inc. Model No. DBB-18 Underbar Drainboard, free standing, 18"W x 24"D, drain pan with removable perforated insert, stainless steel construction, stainless steel legs with adjustable stainless steel bullet feet, ETL-Sanitation		
				
	1 ea	1 year parts & labor warranty		
ITEM TOTAL:				
B11	1 ea	WORK TABLE, 60", STAINLESS STEEL TOP John Boos Model No. ST6R1.5-3060SSK Work Table, 60"W x 30"D, 16/300 stainless steel top with 1-1/2"H rear up-turn, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation, KD		
				
	1 ea	X-0115Y Modified as noted, PER SKETCH (for special notations)		
	2 ea	X-CUT02 Scrap Hole Cutout, in stainless, 6" diameter		\$73.00
ITEM TOTAL:				
B11.1	1 ea	GLASS RINSER Perlick Corporation Model No. 5000GR Glass Rinser, top mount, straight edge with drainer, 7-5/8"W x 7-5/8"D		
				
	1 ea	GR-IK Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked)		
ITEM TOTAL:				
B11.2	1 ea	STAINLESS STEEL KNOCK BOX CHUTE Krome USA Inc. Model No. C884 7.32" x 6.85" x 3.50" Stainless Steel Knock Box Chute		
ITEM TOTAL:				

Acceptance: _____ Date: _____
Printed Name: _____